Elite Hinged Door





The Elite Line hinged door is a premier solution for cold and hot aisle containment solutions. The door is custom designed and built to meet your data center's needs. The door can be designed to open to the left or the right depending on facility obstructions and aisle configurations. Each door is custom designed to meet any cabinet size while maintaining a superior fit and finish. The no-threshold design eliminates any tripping hazard and allows for easy movement of carts in and out of the aisles. Each door is built with an auto closing hinge that contains a soft closing damper. This ensures the containment integrity, while providing smooth operation.

KEY FEATURES



Custom Sizes









Clear Panels

Rigid Design







Self Supporting



Auto Door Closer



Soft Closing

OPTIONS



Finish



Hand Open



Digital / Keyed Lock



Custom Logo

PRODUCT SPECIFICATIONS

Door & Frame

PHYSICAL PROPERTIES

Property: Material: Result: Tensile Strength Aluminum 22,000 psi

Panel Inserts - Optional

3MM - ACRYLIC

FLAMMABILITY

Property: Test: Result: Smoke Dev. ASTM E84 385 Flame Spread ASTM E84 140

Horizontal Burn ASTM D635 1.18 in/min **UL** Horizontal UL94 94 HB

4MM - POLYCARBONATE

FLAMMABILITY

Property: Test: Result: Smoke Dev. ASTM E84 40 Flame Spread ASTM E84 5

3MM - FM4910

FLAMMABILITY

Property: Test: Result: UL94 V0 FM4910 Yes

Shipping

PHYSICAL PROPERTIES

Property: Result:

Weight 250 lbs. Approx. Components 4 Major Components



Corporate Office

228 West 12300 South Denali Bldg. Suite 108 Draper, UT 84020

801.810.3500

866.810.3509 f

info@subzeroeng.com www.subzeroeng.com Design and specifications are subject to change without notice.

Proprietary Notice: The information contained in this spec sheet is the sole property of Subzero Engineering. Any reproduction in part, or as a whole without the written permission of Subzero Engineering is prohibited.

V 1-0_03/05/2014 © 2014 Subzero Engineering. All rights reserved.